

## PHILIPPINE BIDDING DOCUMENTS

# Supply & Delivery of Hardware Materials for Various Fisheries Projects of BFAR Caraga CY 2023

Government of the Republic of the Philippines

Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

	ary of Acronyms, Terms, and AbbreviationsError! Bookmark not defined.	
Section	on I. Invitation to Bid	<b></b> 7
Section	on II. Instructions to Bidders	8
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	12
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	16
21.	Signing of the Contract	
Section	on III. Bid Data Sheet	17
Section	on IV. General Conditions of Contract	25
1.	Scope of Contract	26
2.	Advance Payment and Terms of Payment	26
3.	Performance Security	26
4.	Inspection and Tests	26
5.	Warranty	27
6.	Liability of the Supplier	27
Section	on V. Special Conditions of Contract	28
Section	on VI. Schedule of Requirements	33
Section	on VII. Technical Specifications	
	Error! Bookmark not defined.	
Sectio	on VIII. Checklist of Technical and Financial Documents	50

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$  works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## Section I. Invitation to Bid



#### Republic of the Philippines Department of Agriculture

#### **BUREAU OF FISHERIES AND AQUATIC RESOURCES**

Peñaranda St., Barangay Taft, Surigao City Tel. No. (086) 310-0887

#### **INVITATION TO BID:**

#### Bid Reference No. 009-23

## Supply & Delivery of Hardware Materials for Various Fisheries Projects of BFAR Caraga CY 2023

1. The Bureau of Fisheries and Aquatic Resources Region XIII (BFAR XIII), through the Government Appropriations FY 2023 intends to apply the sum of One Million Ninety-Four Thousand Nine Hundred Sixty Pesos Only (₱1,094,960.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the Project, "Supply & Delivery of Hardware Materials for Various Fisheries Projects of BFAR Caraga CY 2023". Bids received in excess of the ABC shall be automatically rejected at bid opening.

P.R. No	Lot No.	Description	Approved Budget for the Contract (ABC) (Php)	Price of Bid Docs (Php)
2023-04-680	1	Hardware Materials for Various Fisheries Projects of BFAF Caraga CY 2023	1,094,960.00	5,000.00

- 2. The BFAR XIII now invites bids for Goods indicated above. Delivery of the Goods is required within 45 Calendar Days. Bidders should have completed, within 5 years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
  - Bidding is restricted to Filipino citizen/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 2. Prospective Bidders may obtain further information from BFAR XIII Bids and Awards Committee (BAC) Secretariat or FishCORAL Procurement Officer and inspect the Bidding Documents at the address given below during office hours from 8:00 a.m. to 5:00 p.m.

- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **July 15-August 9, 2023**, from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount stated above. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person or through electronic means.
- 6. The Bureau of Fisheries and Aquatic Resources (BFAR) XIII will hold a Pre-Bid Conference on **July 24, 2023 at 1:30pm** and/or through video conferencing, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both} on or before **August 9, 2023; 1:30pm**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- Bid opening shall be on August 9, 2023; 1:30pm at BFAR Caraga Regional Fisherfolk
   Training Center, Butuan City and/or via "Google Meet" application. Bids will be opened
   in the presence of the bidders' representatives who choose to attend the activity.
- 10. Bidders are advised to submit their bids in accordance with the BFAR XIII BAC procedure for online bidding as well as for the printed as provided under ITB Clause 10 and Clause 11.
- 11. The Bureau of Fisheries and Aquatic Resources (BFAR) XIII reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

BFAR XIII - BAC Secretariat Sitio Tawilon, Brgy. Ambago, Butuan City Mobile #: 09094817511/09973293794 E-mail address: bfar13\_bac@gmail.com

13. You may visit the following websites:

For downloading of Bidding Documents: caraga.bfar.da.gov.ph

For online bid submission: [https://caraga.bfar.da.gov.ph/]

Issued this 12th day of July, 2023.

ANNA MELISSA TALAVERA

**BAC Chairperson** 

## Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, Bureau of Fisheries and Aquatic Resources (BFAR) XIII wishes to receive Bids for the "Supply & Delivery of Hardware Materials for Various Fisheries Projects of BFAR Caraga CY 2023".

The Procurement Project (referred to herein as "Project") is composed of One (1) Lot, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for FY 2023 in the amount of One Million Ninety-Four Thousand Nine Hundred Sixty Pesos Only (£1,094,960.00).
- 2.2. The source of funding is **General Appropriations Act FY 2023**.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: b. Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on July 24, 2023; 1:30pm and/or through video-conferencing as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within Five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

#### b. For Goods offered from abroad:

- i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until 120 days after the Bid Opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB.** 

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows: Option1- One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

#### 21. Signing of the Contract


21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Section III. Bid Data Sheet

## **Bid Data Sheet**

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:  a. procurement of hardware materials  b. completed within 5 years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than(2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than (5%) of ABC if bid security is in Surety Bond.
	Guidelines on the Sealing and Marking
15	A. Participating bidders/suppliers may submit their bidding documents through either of the following forms:
15	1. Hardcopy/ physical document
	<ul> <li>Submitted directly thru the Bids and Awards Committee (BAC) Office, at the following address:</li> </ul>
	Bids and Awards Committee (BAC) Office  Bureau of Fisheries and Aquatic Resources XIII  Sitio Tawilon, Brgy. Ambago, Butuan City
	Note: If the participating bidders/suppliers only submits a hardcopy of the document, and the same is discovered to be damaged or the entries thereof are not readable during the opening thereof, said participating bidders/suppliers loses his privilege to participate in the bidding.
	2. Electronic and hardcopy
	<ul> <li>The hardcopy/ physical document shall be scanned and encrypted with password (refer to Annexes - BFAR Online bidding for the procedure).</li> <li>The scanned document will be sent via email at: <a href="mailto:bfarbac13@gmail.com">bfarbac13@gmail.com</a></li> <li>Bidders/suppliers may opt to submit both electronic and hardcopy in compliance with the abovementioned details.</li> </ul>

Note: In case the electronic copy is discovered to be corrupted during opening, the back-up hardcopy will be opened as alternative option. However, in the event that both electronic copy and hardcopy are corrupted and/or not readable participating bidders/suppliers loses his privilege to participate in the bidding.



## A. LABELLING AND MARKING INSTRUCTIONS FOR THE SUBMISSION OF HARD COPIES.

- 1. Main envelope shall:
  - (a) bear address to the Procuring Entity's BAC;
  - (b) bear the specific identification/Bid ref. no. of this bidding;
  - (c) contain the name of the contract/Project Title to be bid;
  - (d) bear the Company name, address and contact details of the Bidder;
  - (e) bear a warning "DO NOT OPEN BEFORE (the date and time of opening of Bids)."
- 2. Bidders shall enclose the First component (Eligibility and Technical documents) and Second components (Financial documents) of their bid.
- 3. Each Bidder shall submit one (1) original and three (3) copies of the first and second components of its bid.
- 4. The inner envelopes of the first and second component shall be similarly sealed and duly marked as Original, Copy 1, Copy 2 and Copy 3.
- 5. Each components must contain Table of Contents and all documents attached should be properly tabbed and bound.



B. FOR BIDS TO BE SUBMITTED ELECTRONICALLY/ONLINE, THE FOLLOWING PROCEDURES SHOULD BE OBSERVED:

### **Preparation of Bid Documents**



The bidder shall prepare a final scanned copy of its Bid divided into two different files:



Eligibility Documents & Technical Documents; and

Financial Documents

To ensure confidentiality, authentication, integrity of the documents, the bidder shall use a two-factor security procedure consisting of an archive format compression of its bid.

Step 1. Scan the original copy of the Eligibility Documents & Technical Documents and Financial Documents, save as a PDF file and comply with the label format below:

1	. "BFAR Bid Reference No.	(Name of Bidder): Legal & Technical Documents"
	. DIAN DIG NEIGI CHE NO.	manie di biduci i, Legai & Technicai bucuments

#### **Example**



BFAR BID REFERENCE NO.2022-1 (TOYOTA PHILS.): Legal & Technical Documents BFAR BID REFERENCE NO.2022-1 (TOYOTA PHILS.): Legal & Technical Documents

2. "BFAR Bid Reference No. \_\_\_\_\_(Name of Bidder): Financial Documents"


#### **Example**




BFAR BID REFERENCE NO.2022-1 (TOYOTA PHILS.): Financial Documents BFAR BID REFERENCE NO.2022-1 (TOYOTA PHILS.): Financial Documents

Adding a password to a .PDF file using Adobe Acrobat Reader DC.


- 1. Open the PDF file
- 2. Choose File > Protect Using Password





- 1. Select to set the password for Viewing the PDF
- 2. Type and retype your password
- 3. Click Apply.

#### Step 2. To archive and compress the file using the WinRAR Application








- 1. Right click the password protected .PDF file.
- 2. Select "Add to archive."
- 3. In the Archive name and parameters dialog box, select "Radio button ZIP" and click
  - "Set password."
- 4. Type your password and Click "Ok button."

Note: Passwords must be 8-16 characters and contain both numbers and letters/ special characters. The bidder is required setting a unique combination for each file and folder. Same passwords for all files are not allowed.

# **Submitting of the Bidding Documents**


Bidders shall submit their Bids through Google Form at any time before the closing date and time specified in the Bidding Documents.


Step 1. BAC Secretariat will send the Invitation link of Registration Form, thru \_\_\_\_\_




Step 2. Upon received, click the FILL OUT FORM.

- Step 3. Bidder must fill in the following required information
- **Step 4.** Click the <u>Add file</u> to upload Scanned Copy of Official Receipt (OR)
- Step 5. After uploading of the Scanned Copy of OR, the bidder shall click <u>Submit</u> button to complete the process and BAC Secretariat shall verify the submitted Official Receipt (OR).






- Step 7. Upon verification of the Official Receipt (OR), the BAC Secretariat shall send the Public Bidding Documents through the given email or shall provide a hard copy upon request. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.
- **Step 8.** The BAC Secretariat will send another Google Form link to the bidder, who already purchased the bidding documents, through email directing to the "Online Submission of the Bid".




Step 9. Upon received, click the  $\underbrace{FILL\ OUT}_{FORM}$ .

**Step 10.** Click the <u>Add file</u> button to upload the compressed and password-protected files of Eligibility & Technical and Financial Documents

Step 11. Click the <u>Submit</u> button to complete the process. A copy of the response will be automatically emailed to the address provided by the bidder which can be saved or printed by the bidder, as proof of the official time of the submission and





	IMPORTANT REMINDERS DURING BID OPENING PROCESS
	1. Bidders are encouraged to attend the bid opening online via Google Meet Application. The password for the folders (ZIP) and the files (.PDF) shall be disclosed by the bidders only during actual bid opening.
	2. The official representative of the bidder shall respond promptly in the same chat box with the passwords when prompted. Bidders are given within five (5) minutes to respond with the passwords. If the bidder does not provide or respond with the password within five (5) minutes, the BAC Secretariat shall open the submitted hard copy of the bidding documents.
	3. The bidder shall first disclose the password for the compressed folder (ZIP file) containing the Eligibility & Technical documents, second disclose the password for the Eligibility & Technical documents (.PDF File). The Secretariat will share screen via Google Meet during accessing the submitted Bid.
	4. If the bidder fails to provide the correct password after the third attempt, the BAC Secretariat shall open the submitted hard copy of the bidding documents.
19.3	No further instruction.
20.2	<ol> <li>Latest Income and Business Tax Returns, filed and paid through the Electronic Filing and Payments System (EFPS), consisting of the following:         <ol> <li>2022 Income Tax Return with proof of payment; and</li> <li>VAT Returns (Form 2550Q) or Percentage Tax Returns (2551M) with proof of payment covering the previous 6 months.</li> </ol> </li> </ol>
21.2	No further instruction.

Section IV.	General	Conditio	ons of Co	ntract

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## Section V. Special Conditions of Contract

## **Special Conditions of Contract**

GCC Clause	
1	The winning bidder or his duly authorized representative shall sign the Contract Agreement here at Masao Aquaculture Center, Sitio Tawilon, Brgy. Ambago, Butuan City.
	Delivery and Documents – For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: within 45 Calendar Days
	"The delivery terms applicable to this Contract are delivered <b>on site</b> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Julius Sabino (OIC, General Services Unit), Noel C. Pugoy (OIC, PFO-Surigao del Sur, Bimbo C. Lagare (OIC, PFO-Agusan del Sur), Felixberto M. Tanduyan (OIC, PFO-Surigao del Norte), Bernard Z. Baclayo (OIC, PFO-Province of Dinagat Islands), Laila M. Holoyohoy (Kitcharao Technology Outreach Station), Rizalinda L. Abing (OIC, FPSSD), Dominador G. Maputol (Masao Technology Outreach Station), Letecia A. Alaba (OIC, Placer Technology Outreach Station), Energito Balaba (OIC, Cortes Multi-Species Hatchery).
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> </ul>
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant

and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### **Spare Parts-**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplies, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods.

Spare parts or components shall be supplied as promptly as possible, but in any case, within (*Please refer below* ) months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of

	Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	"The terms of payment shall be as follows: Within 30 days after every delivery.
	A delivery schedule with the required volume of the items will be provided and
	sent by the Head of Procuring Entity represented by the General Services Unit, as stated in Sec. VI. Schedule of Requirements.
4	The inspections and tests that will be conducted are:

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	Description	Otv	Total	Delivered,
#	Description	Qty	Total	Weeks/Months
1	<b>Air Pump</b> , 220V, 120 watts, 220L min			
-	PFO-Surigao del Sur	2 units	2 units	
ŋ	Aircock (2-way Aircontrol Valve)			
2	100pcs/bag	0 hags	0	
	Cortes Muti-Species Hatchery	8 bags	8 bags	
3	Airhose, 3/16" (4mm*6.6mm) 200m/roll Cortes Muti-Species Hatchery	4 rolls		
	FPSSD	6 rolls	10 rolls	
4	<b>Airpump</b> , 100-120 watts, 6-8 air outlet, 220			
	volts			
	FPSSD	2 units	2 units	
5	Airstone, mineral aquarium cylinder bubble			
	(100pcs/pack)			
	FPSSD	6 packs	6 packs	
	Allen Wrench Hex Key Set, 10pcs/set, (1.5			
6	to 10mm)	_		
	Cortes Muti-Species Hatchery	1 set	1 set	
	Angle Grinder (electric, 220v)			
	Specifications:			
	Power Input: 840 watts,			
7	Wheel Diameter: 100mm (4"),			
7	Depressed Center Wheel: 100mm (4"),			
	Speed: 11,00rpm,			
	Net Weight: 1.6 - 2.0kgs,			
	Dimension: (WxLxH): 271 x 118 x 97mm			
	PFO-Surigao del Norte	1 unit	1 unit	
8	Ball Valve, 1" PVC	10 min and	1D ·	
	Cortes Muti-Species Hatchery	10 pieces	10 pieces	
9	Ball Valve, 1/2" PVC Cortes Muti-Species Hatchery	10 pieces	10 pieces	
	Ballon stick (Im length) thick, white	10 pieces	io piccea	
10	Cortes Muti-Species Hatchery	70 pieces	70 pieces	
	Black sack, laminated (100m/roll), (LxWxH		1	
11	250x30x30cm, 100 meters per roll			
	FPSSD	4 rolls	4 rolls	
	<b>Boots</b> (Rubber, white) 3 pairs -large, 3			
12	pairs – medium			
	FPSSD	6 pairs	6 pairs	

	Brush (Paint brush) rollers with trays, 7		
13	inch-cotton brush		
	PFO-Agusan del Sur	4 sets	4 sets
14	Brush (Paint brush ) rollers, 7 inch		
14	PFO-Agusan del Sur	10 pieces	10 pieces
	Brush (Paintbrush), 18x16cm, easy grip,		
15	heavy grip, heavy duty		40 .
	Kitcharao Technology Outreach Stations	12 pieces	12 pieces
	Bump Feed Line Trimmer Head/Nylon Cail Hand (se perleasment to be used for		
16	Coil Head (as replacement to be used for the existing unit of honda 4 stroke GX35		
10	model brushcutter		
	Cortes Muti-Species Hatchery	1 unit	1 unit
	Cable for welding machine (2/0 AWG		
17	welding cable inverter type)		
	Cortes Muti-Species Hatchery	33 feet	33 feet
18	Canvass (trapal), blue	30 meters	30 meters
	PFO-Surigao del Norte  Cement, Premium Portland with	30 11161613	an illerer.2
19	Advanced Mineral Addition, 50kg/bag		
	Kitcharao Technology Outreach Stations	33 bags	33 bags
20	Chemical Hose, 1" diameter		
	FPSSD	124 meters	124 meters
21	Chemical Hose, 3/4", rigid, braided plastic		
۷1	hose with a diameter of 0.75inch FPSSD	60 meters	60 meters
חח	Circuit Breaker, 3D Amp, with casing		00 11101010
22	Placer Technology Outreach Stations	3 pieces	3 pieces
23	Circuit Breaker, 60 Amp, with casing		
	Placer Technology Outreach Stations	3 pieces	3 pieces
24	Common Wire Nails, #4 PFO-Surigao del Sur	5 kilograms	20
	Placer Technology Outreach Stations	15 kilograms	kilograms
25	Common Wire Nails, #5		
	PFO-Surigao del Sur	5 kilograms	5 kilograms
26	Common Wire Nails, No. 2 Placer Technology Outreach Stations	14 kilograms	   14 kilograms
חיי	Common Wire Nails, No. 3	TH KIIORI allis	מווום ועטווא די
27	Placer Technology Outreach Stations	14 kilograms	14 kilograms
28	Concrete Nails, No. 3		
۷.	Placer Technology Outreach Stations	2 kilograms	2 kilograms
29	Concrete Nails, No. 4	2 kilograms	7 kiloanoma
	Placer Technology Outreach Stations  Construction Safety Hard Hat Helmet,	2 KIIUBI GIIIS	2 kilograms
30	white		
	FAD	3 pieces	3 pieces

	Copper nails, 1 1/2" 2kg per pack		
31	FPSSD	4 packs	4 packs
	Corrugated Round bar, 12mm diameter,		
32	20ft length		
	Kitcharao Technology Outreach Stations	33 pieces	33 pieces
33	Cutting Disk, for metal 4" dia.		
00	Cortes Muti-Species Hatchery	20 pieces	20 pieces
	<b>DC Inventer MMA Welder</b> (MMA 200,		
34	30A/21/2V - 200A/28V) ; Electric Type of		
	motor, welding: Coated Electrode		
	FPSSD	2 pieces	2 pieces
	Digging blade (tara-tara), wood handle,		
пг	tempered steel thin blade (30cm length		
35	blade wood handle, 60 cm length blade,		
	9.5mm thickness)	2 =:====	ŋ ·
	PFO-Agusan del Sur	3 pieces	3 pieces
36	<b>Digging blade</b> , 24" length (half moon shape		
טט	bottom grove) 5 inches width Placer Technology Outreach Stations	1 piece	1 piece
	<b>Dipper</b> , color: white, size: 16cm diameter	1 piece	i hiere
37	Placer Technology Outreach Stations	10 pieces	10 pieces
	Double Sheave, Double Wheel Hook Type	·	
38	Block Pulley, 3", 0.5 tons capacity (attach		
70	picture)		
	Cortes Muti-Species Hatchery	1 unit	1 unit
	Drill bit; universal combination drill tap		
	hexagon shank, spiral flutes metric (mm)		
39	threads. Sizes: 3mm, 4mm, 5mm & 6mm		
	(for concrete)		
	Cortes Muti-Species Hatchery	2 sets	2 sets
	<b>Drill bit</b> ; Universal combination drill tap		
,,,	hexagon shank, spiral flutes metric (mm)		
40	threads. Sizes: 3mm, 4mm, 5mm, 6.5mm &		
	8mm (for metal)		
	Cortes Muti-Species Hatchery	2 sets	2 sets
	Dust Blower (electric)		
	Specifications:		
7.1	Power Input: 600 Watts,		
41	Air Pressure: 5.7 kPa,		
	Maximum Air Velocity: 91 m/s,		
	No. of speed: 16,000 RPM	4!+	4 "
	PFO-Surigao del Norte	1 unit	1 unit
42	<b>Elastomeric paint</b> , waterproofing PFO-Agusan del Sur	5 gallons	5 gallons
	i i o rigudan doi odi	والمالية و	լ - ցաստո

	Floatning Tone (1) (Compy) Compy/or /!!\		
43	Electrical Tape, (D.16mmx19mmx4m/roll) Placer Technology Outreach Stations	30 rolls	30 rolls
	<b>Ename</b> l, Black, IL/can	30.0	00 1 0110
44	FPSSD	4 cans	4 cans
45	Enamel, White, IL/can		
40	FPSSD	4 cans	4 cans
46	Fabric Adhesive, 110mL		
	FPSSD	4 pieces	4 pieces
.7	Fan Belt, Size A-1016 for pressure washer		
47	(as per picture)	2	n .
	Cortes Muti-Species Hatchery	2 pieces	2 pieces
48	Fan Belt, Size A940 Li roots blower (as per		
40	picture)	4 pieces	/ ninggo
	Cortes Muti-Species Hatchery  Faucet, Bathroom Sink Stainless Finish	4 pieces	4 pieces
	-		
49	Single Handle Basin Faucet Water Tap, High Quality Kitchen Faucet, Elegant Design, Made		
70	,		
	by Quality Materials, Color: Black Kitcharao Technology Outreach Stations	6 pieces	6 pieces
	Flexible Hose, 1"D *(200m/roll), color:blue	o pieces	o picces
50	Cortes Muti-Species Hatchery	1 roll	1 roll
	Flexible Hose, 1.5"0 *(200m/roll),		
51	color:blue		
	Cortes Muti-Species Hatchery	1 roll	1 roll
52	Foot valve, 1" dia. (brass)		
UL	Cortes Muti-Species Hatchery	4 pieces	4 pieces
	<b>GI Pipe</b> , 3/4" in diameter x 20 ft/ length,		
53	schedule 40		
	Kitcharao Technology Outreach Stations	12 length	12 length
54	Gloss latex, white IL/can	_	
	PFO-Agusan del Sur	2 cans	2 cans
	Gloves, Industrial Mechanical Safety		
	Gloves,		
	Material: Microfibre IHT, Large, Safety		
55	Gloves with palm provide dexterity to utilize		
	tools & equipment, w/ microfibre material		
	palm w/ leather reinforce on palm that		
	enhance abrasion resistance		
	Kitcharao Technology Outreach Stations	10 pairs	10 pairs
	Selector, Stainless mesh 2"		
56	PFO-Province of Dinagat Islands	1 piece	η .
	Placer Technology Outreach Stations	1 piece	2 pieces
57	<b>Selector</b> , Stainless mesh 4" PFO-Province of Dinagat Islands	1 piece	1 piece
	1 1 O-FTOVIIICE OF DIFFAYAL ISIATIUS	T PIECE	l i hiere

S
3
S
-
S
_
_
i
3
3

	P.E. Adaptor, male 1" diameter		
73	Cortes Muti-Species Hatchery	10 pieces	10 pieces
74	P.E. Adaptor, male 3" diameter		
/ -	Cortes Muti-Species Hatchery	4 pieces	4 pieces
75	P.E. Coupling, 1" diameter	10 pieces	1Π =:====
	Cortes Muti-Species Hatchery  P.E. Elbow, 1" diameter	10 pieces	10 pieces
76	Cortes Muti-Species Hatchery	10 pieces	10 pieces
77	P.E. Reducer Coupling, 1" x 1/2" dia.	·	
11	Cortes Muti-Species Hatchery	5 pieces	5 pieces
78	P.E. Reducer Coupling, 3" x 2" dia.		г.
	Cortes Muti-Species Hatchery	5 pieces	5 pieces
79	P.E. Tee, 1" dia. Cortes Muti-Species Hatchery	10 pieces	10 pieces
nn	P.E. Tee, 1/2" dia.	10 pieces	10 picaca
80	Cortes Muti-Species Hatchery	10 pieces	10 pieces
81	Paint brush, 11/2" width		
UI	Cortes Muti-Species Hatchery	20 pieces	20 pieces
82	<b>Paint brush</b> , 2 ½" width	4 niosos	/-:
	FPSSD <b>Paint thinner</b> , 350mL	4 pieces	4 pieces
83	FPSSD	4 bottles	4 bottles
	Plastic Airvalves/aircock, plastic, yellow,		
	Diameter of Holes: 5mm/0.2", Outer		
84	Diameter: 11.7mm/0.46" Total Size:		
	42mmx22mm/1.65"x0.87"		
	FPSSD (DDD)	400 pieces	400 pieces
85	Plastic water tank with ox tendon, (200L		
רס	cap), with cover FPSSD	2 units	2 units
	Power inverter pure sign wave (PSW),	2 011103	Z uiiitā
86	1000 watts, 12 volts conversion to 220		
	FPSSD	2 units	2 units
87	Primer and sealer, for concrete, color		
u/	white PFO-Agusan del Sur	5 gallons	5 gallons
	<b>Propeller</b> , ½" width x 7.5"length (for		
88	pumpboat)		
	Cortes Muti-Species Hatchery	1 unit	1 unit
89	<b>Propeller</b> , 3/4" width x 12" length (for		
00	pumpboat) Cortes Muti-Species Hatchery	1 unit	1 unit
пп	PVC Coupling, 1/2" dia.		i willt
90	Cortes Muti-Species Hatchery	15 pieces	15 pieces
91	PVC Elbow, 1/2" dia.		(F. )
	Cortes Muti-Species Hatchery	15 pieces	15 pieces

92 PVC Elbow, 2" Φ blue Placer Technology Outreach Stations 10 pieces 10 pieces 94 PVC Pipe, 1" dia. PVC Pipe, 1" dia. PVC Pipe, 1" dia. PVC Pipe, 1" dia. PVC Pipe, 1" x 3m, blue PSSD 6 pieces 95 PVC Pipe, 3" x 3m, blue PSSD 4 pieces 96 pieces 97 PVC Pipe, 1" x 3m, blue PSSD 4 pieces 97 PVC Pipe, 1" x 3m, blue PSSD 4 pieces 12 pieces 12 pieces 12 pieces 12 pieces 12 pieces 10 pieces				<u> </u>
PIC Pipe, I" dia. PFO-Sunjago del Sur  95 PVC Pipe, I" dia. PFO-Sunjago del Sur  96 PVC Pipe, I" x 3m., blue FPSSD  97 PVC Pipe, I" x 3m., blue FPSSD  98 PVC saddle tee, 3/" (siphon heads), blue FPSSD  99 PVC Tee, 3" Φ blue Placer Technology Outreach Stations  90 PVC Tee Coupling, 3/4" FPSSD  100 PVC Tube Pipe, 2 inches x 3meters FPSSD  101 PVC Tube Pipe, 2 inches x 3meters FPSSD  102 Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations  101 Indiana, 18 watts Masao Technology Outreach Stations  8 pieces  9 piec	92	·	10 pieces	10 pieces
PVC Pipe, I" dia. PFO-Surigao del Sur   30 pieces   30 pieces   30 pieces   95   PVC Pipe, X" x 3m, blue   FPSSD   6 pieces   6 pieces   6 pieces   96 PVC Pipe, I" x 3m, blue   FPSSD   4 pieces   4 pieces   4 pieces   7   PVC saddle tee, 3/" (siphon heads), blue   FPSSD   12 pieces   12 pieces   12 pieces   19 PVC Tee, 3" Φ blue   Placer Technology Outreach Stations   10 pieces   10 pi	93		10 pieces	M nieces
PVC Pipe. %" x 3m. blue FPSSD	94	PVC Pipe, 1" dia.	·	
PVC Pipe, 1" x 3m, blue FPSSD 4 pieces 4 pieces  97 PVC saddle tee, %" (siphon heads), blue FPSSD 12 pieces 12 pieces 12 pieces  98 PVC Tee, 3" Φ blue Placer Technology Outreach Stations 10 pieces 162 pieces  99 PVC Tee Coupling, 3/4" FPSSD 162 pieces 162 pieces  100 PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces 2 pieces  101 PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces 2 pieces  102 Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations 8 pieces 8 pieces  Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit 104 Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet 105 Rugby contact cement FPSSD 2 bottles 2 bottles 2 bottles 106 Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces 3 pieces 5 Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces 10 pieces 5 Screwdriver Set (2 pcs star screw driver 4" length 6 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	95		30 pieces	an biedes
PVC saddle tee, ¾" (siphon heads), blue   12 pieces   4 pieces   97   PVC saddle tee, ¾" (siphon heads), blue   12 pieces   12 pieces   18 pieces   19 pieces			6 pieces	6 pieces
PVC Tee. 3" Φ blue Placer Technology Outreach Stations  PVC Tee Coupling, 3/4" FPSSD 162 pieces  PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces  PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces  Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations 8 pieces  Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  Rugby contact cement FPSSD 2 bottles 2 bottles  Safety Vest Hi-Viz Reflector, (Green) AD 3 pieces 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces 10 pieces  Screwdriver Set (2 pcs star screw drivers, non slip handle, magnetic tip)	96	FPSSD	4 pieces	4 pieces
PVC Tee, 3" \( \Phi\) blue   Placer Technology Outreach Stations   10 pieces	97	•	12 pieces	12 pieces
PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces 2 pieces  100 PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces 2 pieces  Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations 8 pieces  Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  Rugby contact cement FPSSD 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	98	•	·	
FPSSD 162 pieces 162 pieces 162 pieces 100 PVC Tube Pipe, 2 inches x 3meters FPSSD 2 pieces 2 pieces 2 pieces Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations 8 pieces 8 pieces Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces 6 pieces 6 pieces 8 pieces Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit 104 Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet 85 feet 85 feet 85 feet 105 Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces 3 pieces Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces 10 pieces Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	00		10 pieces	io pieces
Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations  Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet  Rugby contact cement FPSSD 2 bottles 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 8" screw drivers, non slip handle, magnetic tip)	00		162 pieces	162 pieces
Rechargeable flashlight, single lamp, head lamp, 18 watts Masao Technology Outreach Stations  Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  Rugby contact cement FPSSD 2 bottles 2 bottles  Rugby contact cement FPSSD 3 pieces  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	100		2 nieces	7 nieces
Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 2 bottles  Rugby contact cement FPSSD 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	15:	Rechargeable flashlight, single lamp, head	p.cccs	2 pioooo
Reflective raincoat set (sanitary adult raincoat/Article w/ reflective raincoat, free size; Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  Rughy contact cement FPSSD 2 bottles 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces 10 pieces  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	101 	•	8 pieces	8 pieces
size: Trousers length 100cm, jacket shoulder width 65cm, jacket length 80cm FPSSD 6 pieces  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur 1 unit 1 unit  104 Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  105 Rugby contact cement FPSSD 2 bottles 2 bottles  106 Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)		Reflective raincoat set (sanitary adult		
width 65cm, jacket length 80cm FPSSD  Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur  1 unit 104 Rubber Air Tubing, 1/4", 0.25" diameter FPSSD  Rugby contact cement FPSSD  2 bottles 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD  3 pieces  3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  108 Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	102			
Ring binder machine, Heavy Duty, 450 sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur  1 unit 104 Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet 105 Rugby contact cement FPSSD 2 bottles 106 Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces 107 Cortes Muti-Species Hatchery 108 Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type & screw drivers, non slip handle, magnetic tip)				
sheets binding capacity, 22 sheets punching capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur  1 unit  104  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD  Rugby contact cement FPSSD  2 bottles  2 bottles  2 bottles  3 pieces  3 pieces  Safety Vest Hi-Viz Reflector, (Green) FAD  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  108  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)			6 pieces	6 pieces
capacity, 24 holes, for A4 and ling size, metal base, 24 release pins PFO-Agusan del Sur  1 unit  104  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD  Rugby contact cement FPSSD  2 bottles  2 bottles  2 bottles  3 pieces  Safety Vest Hi-Viz Reflector, (Green) FAD  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  108  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)		<del>-</del> , ,		
metal base, 24 release pins PFO-Agusan del Sur  1 unit  104  Rubber Air Tubing, 1/4", 0.25" diameter FPSSD  Rugby contact cement FPSSD  2 bottles  2 bottles  2 bottles  3 pieces  3 pieces  Safety Vest Hi-Viz Reflector, (Green) FAD  3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  108  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	103			
Rubber Air Tubing, 1/4", 0.25" diameter FPSSD 85 feet 85 feet  Rugby contact cement FPSSD 2 bottles  Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 10 pieces  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)		metal base, 24 release pins	4!!	4
Rugby contact cement FPSSD 2 bottles 2 bottles 106 Safety Vest Hi-Viz Reflector, (Green) FAD 3 pieces 3 pieces  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery 108 Cortes Muti-Species Hatchery 4" length & 2 pcs flat type 6" screw driver, non slip handle, magnetic tip)	10.7		1 unit	l unit
Safety Vest Hi-Viz Reflector, (Green) FAD  Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	104	FPSSD	85 feet	85 feet
Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	105		2 bottles	2 bottles
Sandpaper, (coarse) #120 for metal (waterproof) Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	106		3 pieces	3 pieces
Cortes Muti-Species Hatchery  Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	100	Sandpaper, (coarse) #120 for metal	- 1-1-3-3-3	F.2300
Screwdriver Set (2 pcs star screw driver 4" length & 2 pcs flat type 6" screw drivers, non slip handle, magnetic tip)	1U7 	· I · ·	10 pieces	10 pieces
non slip handle, magnetic tip)		Screwdriver Set (2 pcs star screw driver	- 12.2.2.2	
	108			
			1 set	1 set

			1
	Shovel, spade type wood handle		
109	Masao Technology Outreach Stations	3 units	
	Cortes Muti-Species Hatchery	3 units	6 units
110	Silicon hose (6mm diameter) 100m/roll		/ 11
	FPSSD	4 rolls	4 rolls
111	Stainless pipe # 1/2"dia. x 20ft , schedule		
111	40	F	F .
	Cortes Muti-Species Hatchery	5 pieces	5 pieces
112	Stainless Shafting, 1/4" Ø x 20' length	4 pieces	/-:
	Cortes Muti-Species Hatchery  Stainless Shafting, 1/8" D x 20' length	4 pieces	4 pieces
113	Cortes Muti-Species Hatchery	4 pieces	4 pieces
	Stainless steel round bars, 6mm dia. x	4 pieces	4 hieres
114	Imeter		
	FPSSD	8 pieces	8 pieces
	Stainless welding rod; size 3/32 <sup>nd</sup> , 2.5mm	-	- F.3333
115	dia., Ikg/box		
	Cortes Muti-Species Hatchery	3 boxes	3 boxes
	Steel multipurpose ladder, laddersize: 10		
110	feet, highest standing level: 7 feet and 8		
116	inches, maximum cap: 800 lbs		
	PFO-Agusan del sur	1 unit	1 unit
117	Steel Tape, (5 meters)		
117	FAD	3 pieces	3 pieces
	Submersible Pump (1HP), single phase,		
118	50mm discharge, 12 meters maximum head,		
110	520 maximum head		
	PFO-Surigao del Sur	1 unit	1 unit
	Submersible Pump, 1/2Hp, single phase,		
119	50mm or 2" dia. outlet		
	Cortes Muti-Species Hatchery	1 unit	1 unit
100	Submersible pump, 220v, 1.5HP, 2"		
120	diameter outlet	2	п
	Masao Technology Outreach Stations	2 unit	2 unit
171	Submersible pump, 220v, 1HP, 2" diameter		
121	outlet	2	7:1-
	Masao Technology Outreach Stations	3 units	3 units
	Submersible Pump, 2hp, 3" dia. outlet,		
122	220V Max head 18M, single phase cycle,		
	60Hz, max flow 190 GPM	1 unit	1,,,,;+
	Placer Technology Outreach Stations	1 UIIIL	1 unit
	Submersible Pump, Discharge 3" dia.,		
123	Head Capacity 11-15 Meters, GPM Standards		
	III/GPM high IS9, 220V, Single Phase (I.5hp) Placer Technology Outreach Stations	1 unit	1 unit
	i iacei Technology Outreach Stations	I UIIIL	I UIIIL

1C /	Swing valve, 2" dia. (brass)		
124	Cortes Muti-Species Hatchery	1 piece	1 piece
	Tee connector		
	Material: Plastic		
	Color: White Transparent		
	SizeL Approx. 1.18*0.71*0.24*inch/		
125	3*1.8*0.6cm		
	Pipe Diameter: Approx. 0.19 inch/0.5cm		
	Pipe Internal Diameter: Approx. 0.12 inch/		
	0.3cm		
	FPSSD	400 pieces	400 pieces
126	THHN Wire, #14		
	Placer Technology Outreach Stations	1 box	1 box
127	Thread Sealtape (Tapelon), 25mm x		
IZ I	0.075mm x10m Cortes Muti-Species Hatchery	15 roll	15 roll
	Tie Wire, No.16	13 1011	10 1 011
128	Kitcharao Technology Outreach Stations	6 kilograms	6 kilograms
	Utility Pail, 12L (color: red), 12 liter capacity		
129	w/ comfort grip handle (Made of prime &		
IZŪ	virgin HDPE thermoplastic resins		
	Placer Technology Outreach Stations	7 pieces	7 pieces
	<b>Water Pump,</b> 6.5hp, 3"x3" inlet/outlet with		
130	hose (length: 3M)		
	Masao Technology Outreach Stations	1 unit	1 unit
	Water Pump, 5Hp Copper Winding		
131	Superhead High Volume 2"Ø discharge, 2"Ø		
	suction 3 phase, 2 pole Cortes Muti-Species Hatchery	1 unit	1 unit
	Weatherproof electrical socket	Tunit	Tunit
132	(rubberized)		
	Placer Technology Outreach Stations	50 pieces	50 pieces
	<b>Welding Rod</b> , 3.2 (1/8") x 350 mm; Polarity:		
	AC/DC; Current: 90.130A, Net Weight: 5		
133	kilogram		
	Kitcharao Technology Outreach Stations	5 boxes	7.1
	Cortes Muti-Species Hatchery	2 boxes	7 boxes

I hereby certify to comply	and deliver all the above requirements.	
Name of Company/Ridder	Signature Over Printed Name of Representative	 Date

Section VII. Technical Specifications

# **Technical Specifications**

Item	Specification	Statement of Compliance
1	<b>Air Pump</b> , 220V, 120 watts, 220L min	
2	Aircock (2-way Aircontrol Valve) 100pcs/bag	
3	<b>Airhose,</b> 3/16" (4mm*6.6mm) 200m/roll	[Bidders must state here
4	<b>Airpump</b> , 100-120 watts, 6-8 air outlet, 220	either "Comply" or "Not Comply" against each of the
	volts	individual parameters of each Specification stating the
5	Airstone, mineral aquarium cylinder bubble (100pcs/pack)	corresponding performance
6	Allen Wrench Hex Key Set, 10pcs/set, (1.5 to	parameter of the equipment offered. Statements of
	10mm)	"Comply" or "Not Comply"
7	Angle Grinder (electric, 220v)	must be supported by
	Specifications:	evidence in a Bidders Bid
	Power Input: 840 watts,	and cross-referenced to that evidence. Evidence shall be
	Wheel Diameter: 100mm (4"),	in the form of manufacturer's
	Depressed Center Wheel: 100mm (4"),	un-amended sales literature,
	Speed: 11,00rpm,	unconditional statements of
	Net Weight: 1.6 - 2.0kgs,	specification and compliance
	Dimension: (WxLxH): 271 x 118 x 97mm	issued by the manufacturer, samples, independent test
8	Ball Valve, 1" PVC	data etc., as appropriate. A
9	Ball Valve, 1/2" PVC	statement that is not
10	Ballon stick (Im length) thick, white	supported by evidence or is
11	Black sack, laminated (100m/roll), (LxWxH	subsequently found to be contradicted by the evidence
11	250x30x30cm, 100 meters per roll	presented will render the Bid
12	<b>Boots</b> (Rubber, white) 3 pairs -large, 3 pairs	under evaluation liable for
12	– medium	rejection. A statement either
12	Brush (Paint brush) rollers with trays, 7	in the Bidder's statement of compliance or the supporting
13	inch-cotton brush	evidence that is found to be
14	Brush (Paint brush ) rollers, 7 inch	false either during Bid
15	Brush (Paintbrush), 18x16cm, easy grip,	evaluation, post-qualification
13	heavy grip, heavy duty	or the execution of the Contract may be regarded as
	Bump Feed Line Trimmer Head/Nylon Coil	fraudulent and render the
16	<b>Head</b> (as replacement to be used for the	Bidder or supplier liable for
10	existing unit of honda 4 stroke GX35 model	prosecution subject to the
	brushcutter	applicable laws and
17	Cable for welding machine (2/0 AWG	issuances.]
1 /	welding cable inverter type)	
18	Canvass (trapal), blue	

19	Cement, Premium Portland with Advanced
20	Mineral Addition, 50kg/bag Chemical Hose, 1" diameter
	Chemical Hose, 3/4", rigid, braided plastic
21	hose with a diameter of 0.75inch
22	Circuit Breaker, 30 Amp, with casing
23	Circuit Breaker, 60 Amp, with casing
24	Common Wire Nails, #4
25	Common Wire Nails, #5
26	Common Wire Nails, No. 2
27	Common Wire Nails, No. 3
28	Concrete Nails, No. 3
29	Concrete Nails, No. 4
30	Construction Safety Hard Hat Helmet
	white
31	Copper nails, 1 1/2" 2kg per pack
32	Corrugated Round bar, 12mm diameter, 20ft
32	length
33	Cutting Disk, for metal 4" dia.
	DC Inventer MMA Welder (MMA 200,
34	30A/21/2V - 200A/28V) ; Electric Type of
	motor, welding: Coated Electrode
	Digging blade (tara-tara), wood handle,
35	tempered steel thin blade (30cm length blade
33	wood handle, 60 cm length blade, 9.5mm
	thickness)
26	Digging blade, 24" length (half moon shape
36	bottom grave) 5 inches width
37	<b>Dipper</b> , color: white, size: 16cm diameter
	Double Sheave, Double Wheel Hook Type
38	Block Pulley, 3", 0.5 tons capacity (attach
	picture)
	<b>Drill bit</b> ; universal combination drill tap
	hexagon shank, spiral flutes metric (mm)
39	threads. Sizes: 3mm, 4mm, 5mm & 6mm (for
	concrete)
	<b>Drill bit</b> ; Universal combination drill tap
	hexagon shank, spiral flutes metric (mm)
40	threads. Sizes: 3mm, 4mm, 5mm, 6.5mm &
	8mm (for metal)
41	Dust Blower (electric)
41	DAST DIAMEL (SISCILIC)

	Specifications:
	Power Input: 600 Watts,
	Air Pressure: 5.7 kPa.
	Maximum Air Velocity: 91 m/s,
	No. of speed: 16,000 RPM
42	Elastomeric paint, waterproofing
43	Electrical Tape, (0.16mmx19mmx4m/roll)
44	Enamel, Black, 1L/can
45	Enamel, White, 1L/can
46	Fabric Adhesive, 110mL
47	Fan Belt, Size A-1016 for pressure washer (as
47	per picture)
40	Fan Belt, Size A940 Li roots blower (as per
48	picture)
	Faucet, Bathroom Sink Stainless Finish Single
40	Handle Basin Faucet Water Tap, High Quality
49	Kitchen Faucet, Elegant Design, Made by
	Quality Materials, Color: Black
50	Flexible Hose, 1"D *(200m/roll), color:blue
51	Flexible Hose, 1.5" (200m/roll), color:blue
52	Foot valve, 1" dia. (brass)
53	GI Pipe, 3/4" in diameter x 20 ft/ length,
	schedule 40
54	Gloss latex, white 1L/can
	Gloves, Industrial Mechanical Safety
	Gloves,
	Material: Microfibre IHT, Large, Safety Gloves
55	with palm provide dexterity to utilize tools &
	equipment, w/ microfibre material palm w/
	leather reinforce on palm that enhance
	abrasion resistance
56	Selector, Stainless mesh 2"
57	Selector, Stainless mesh 4"
58	Brush Cutter 4 Stroke Original (Heavy
30	duty, complete set)
59	Hacksaw blade, 12" x 30mm (10pcs/box)
	Refractometer (Handheld Salinity), Size &
60	Weight: 4x4 17cm, 170g; Resolution: 0.2%,
	Accuracy:10.2%, Overall Dimension: 3.3x
	3.3x20.4cm
61	<b>Jet Type Booster Water Pump,</b> (1.0HP

	-: L 990V POUL 9/ED \ \ D \ \ \
	single phase 220V 60Hz 3450rpm), Capacity:
	5 up to 70 LPMMax head: 47 meters Suction lift: 9 meters Port size: 1" x 1"
62	Lead Sinker, #3 cylindrical
63	
03	LED Bulb, (15 watts/daylight type)
61	LED Floodlight, 50 watts Energy Efficient
64	design (typical 85lm/w 4000K) Robust
<i>C5</i>	Housing (Die-Cast Aluminum)
65	Long Tape Measure (50 meters)
66	Magic tape, 2" width, white
67	Marine Epoxy, (A & B), 1/4L
68	Marine Plywood, 3/4"x 4ft x 8ft
İ	Mechanical Tool Kit Set, (High Quality w/
69	box; 78 pieces set Content; Bits, Hammer, Hex
	Keys, Pliers, Ratchet, Screwdriver, Sockets,
	Spanners)
70	Metal Primer Epoxy, (red oxide) w/ catalyst
71	P.E. Adaptor, female 1" diameter
72	P.E. Adaptor, female 3" diameter
73	P.E. Adaptor, male 1" diameter
74	P.E. Adaptor, male 3" diameter
75	P.E. Coupling, 1" diameter
76	P.E. Elbow, 1" diameter
77	P.E. Reducer Coupling, 1" x 1/2" dia.
78	P.E. Reducer Coupling, 3" x 2" dia.
79	P.E. Tee, 1" dia.
80	<b>P.E. Tee</b> , 1/2" dia.
81	Paint brush, 11/2" width
82	Paint brush, 2 ½" width
83	Paint thinner, 350mL
	Plastic Airvalves/aircock, plastic, yellow,
0.4	Diameter of Holes: 5mm/0.2", Outer
84	Diameter: 11.7mm/0.46" Total Size:
	42mmx22mm/1.65"x0.87"
	Plastic water tank with ox tendon, (200L
85	cap), with cover
_	Power inverter pure sign wave (PSW),
86	1000 watts, 12 volts conversion to 220
87	Primer and sealer, for concrete, color white
	<b>Propeller</b> , ½" width x 7.5"length (for
88	pumpboat)
	F/

	<b>Propeller</b> , 3/4" width x 12" length (for
89	pumpboat)
90	PVC Coupling, 1/2" dia.
91	PVC Elbow, 1/2" dia.
92	PVC Elbow, 2" $\Phi$ blue
93	PVC Elbow, 3" Ф blue
94	PVC Pipe, 1" dia.
95	PVC Pipe, ¾" x 3m, blue
96	PVC Pipe, 1" x 3m, blue
97	<b>PVC saddle tee</b> , ¾" (siphon heads), blue
98	PVC Tee, 3" $\Phi$ blue
99	PVC Tee Coupling, 3/4"
100	<b>PVC Tube Pipe,</b> 2 inches x 3meters
101	Rechargeable flashlight, single lamp, head
101	lamp, 18 watts
	Reflective raincoat set (sanitary adult
102	raincoat/Article w/ reflective raincoat, free
102	size; Trousers length 100cm, jacket shoulder
	width 65cm, jacket length 80cm
	Ring binder machine, Heavy Duty, 450
102	sheets binding capacity, 22 sheets punching
103	capacity, 24 holes, for A4 and ling size, metal
	base, 24 release pins
104	Rubber Air Tubing, 1/4", 0.25" diameter
105	Rugby contact cement
106	Safety Vest Hi-Viz Reflector, (Green)
107	Sandpaper, (coarse) #120 for metal
107	(waterproof)
	Screwdriver Set (2 pcs star screw driver
108	4" length & 2 pcs flat type 6" screw drivers,
	non slip handle, magnetic tip)
109	Shovel, spade type wood handle
110	Silicon hose (6mm diameter) 100m/roll
111	Stainless pipe # 1/2"dia. x 20ft , schedule 40
112	Stainless Shafting, 1/4" Ø x 20' length
113	Stainless Shafting, 1/8" Ø x 20' length
114	Stainless steel round bars, 6mm dia. x
114	Imeter
115	Stainless welding rod; size 3/32 <sup>nd</sup> , 2.5mm
115	dia., 1kg/box
116	Steel multipurpose ladder, laddersize: 10
·	<u> </u>

	feet, highest standing level: 7 feet and 8
	inches, maximum cap: 800 lbs
117	Steel Tape, (5 meters)
	Submersible Pump (1HP), single phase,
118	50mm discharge, 12 meters maximum head,
	520 maximum head
119	Submersible Pump, 1/2Hp, single phase,
117	50mm or 2" dia. outlet
1.00	Submersible pump, 220v, 1.5HP, 2" diameter
120	outlet
	Masao Technology Outreach Stations
121	<b>Submersible pump</b> , 220v, 1HP, 2" diameter
	outlet
100	Submersible Pump, 2hp, 3" dia. outlet, 220V
122	Max head 18M, single phase cycle, 60Hz, max
	flow 190 GPM
123	Submersible Pump, Discharge 3" dia., Head
123	Capacity 11-15 Meters, GPM Standards 111/GPM
104	high 159, 220V, Single Phase (1.5hp)
124	Swing valve, 2" dia. (brass)
	Tee connector
	Material: Plastic
	Color: White Transparent
125	SizeL Approx. 1.18*0.71*0.24*inch/
	3*1.8*0.6cm
	Pipe Diameter: Approx. 0.19 inch/0.5cm
	Pipe Internal Diameter: Approx. 0.12 inch/
10 -	0.3cm
126	THHN Wire, #14
127	Thread Sealtape (Tapelon), 25mm x
	0.075mm x10m
128	Tie Wire, No.16
	Utility Pail, 12L (color: red), 12 liter capacity
129	w/ comfort grip handle (Made of prime &
	virgin HDPE thermoplastic resins
130	Water Pump, 6.5hp, 3"x3" inlet/outlet with
130	hase (length: 3M)
	Water Pump, 5Hp Copper Winding Superhead
131	High Volume 2"Ø discharge, 2"Ø suction 3
	phase, 2 pole
132	Weatherproof electrical socket,

	(rubberized)
133	<b>Welding Rod</b> , 3.2 (1/8") x 350 mm; Polarity: AC/DC; Current: 90.130A, Net Weight: 5
	kilogram

I hereby certify to comply all the required above technical specifications.							
Name of Company/Bidder	Signature Over Printed Name of Representative	Date					

# Section VIII. Checklist of Technical and Financial Documents

### Checklist of Technical and Financial Documents

#### I. TECHNICAL COMPONENT ENVELOPE

(NFCC);


its NFCC computation.

## Class "A" Documents **Legal Documents** (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; **Technical Documents** (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) similar (c) to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; Original copy of Notarized Bid Securing Declaration; and (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and (f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Financial Documents The prospective bidder's computation of Net Financial Contracting Capacity (g)

A committed Line of Credit from a Universal or Commercial Bank in lieu of

### Class "B" Documents

	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II.	FINANCIA	AL COMPONENT ENVELOPE
	☐ (i) ☐ (j)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).
	Other do	cumentary requirements under RA No. 9184 (as applicable)
	☐ (k)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(I)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
	-	owing templates are provided for easy, attached hereto as Appendix 1, which o be accessed through this link: <a href="https://www.gppb.gov.ph/downloadables.php">https://www.gppb.gov.ph/downloadables.php</a>
		id Form for the Procurement of Goods
		Price Schedule for Goods Offered from Abroad
		rice Schedule for Goods Offered from Within the Philippines id Securing Declaration
		Contract Agreement Form for the Procurement of Goods Projects;
		Omnibus Sworn Statement; and



Name of Contract and Contract Cost	Owner's Name Address	Nature of Work	Bidder's Role		Date Awarded Date Started	% of Accomplishment		Value of Outstanding Works/Undelivered	
	Telephone Nos.	WOIK	Description	%	Date of Completion	Planned	Actual	Portion	
Government									
<u>Private</u>									
*Continue in separate sheet if n	ecessary						Total Cost		
Note: (In case of no ongoing of contracts" or "None" or "Not A column from left) This statement shall be supported for Government Contract:  Notice of award and/or Co	Applicable (N/A)" under the	Column for Nam							
	miract Agreement and/or Not	ice to Proceed							
. Notice of award and/of Co									

# **Statement Identifying the Single Largest Completed Contract**

Amount at Award

Amount

tion

Date Awarded Contract

Effectivity Date


Completed

Government

Private

Name of Contract and		Owner's Name		Bidder's Role		
	ntract Cost	Address Telephone Nos.	Nature of Work / Kind of Goods	Description	%	
Government						
Private						
For Government C 1. Notice of awa 2. Certificate of (CFAs) or du	ard (NOA) and/or Cont Completion of Delivery Ly signed Delivery Re	with: ract Agreement and/or Notice ery (CCDs) issued by the Ov ceipt (DRs) or Official receip	wner or Certificate of Fina			
Inspection and	d Acceptance Reports					
2. Certificate of		hase Request ery (CCDs) issued by the Ove eipt (DRs) or Official receipt		1 Acceptance		
Submitted by						
Submitted by	·	d Signature of Authorize	d Poprocontativo)			
	(FIIIILEU Naiile ai	iu signature of Authorize	u nepresentativer			

Date




# BFAR XIII – BAC ONLINE BIDDING PROCEDURE

Annex A ......Resolution Recommending the Adoption of Guidelines for the Electronic Submission of Bids in Accordance with GPPB Resolution 09-2020 (Procurement Guidelines on Online Bidding)

Annex B......Bidder's Kit

Annex C......Adding a password to .PDF file using Adobe Acrobat Readader DC.

Annex D ......Procedure of Accessing the BFAR XIII BAC Online Submission of Bidding Documents via Google Forms.



### **Bids and Awards Committee**

# **Resolution No. 2020-0028**

A Resolution Recommending the Adoption of Guidelines for the Electronic Submission of Bids in Accordance with GPPB Resolution 09-2020 (Procurement Guidelines on Online Bidding)

**WHEREAS**, on the 16<sup>th</sup> day of March 2020, the Office of the President of the Philippines, issued a Proclamation no. 929, declaring a Statement of Calamity throughout the Philippines due to Corona Virus Disease 2019 for a period of six (6) months or up to 12<sup>th</sup> day of September 2020, however, on the 16<sup>th</sup> day of September 2020, a proclamation no. 1021 was issued, extending the period of the State of Calamity throughout the Philippines due to Corona Virus Disease 2019 for a period of one (1) year effective 13 September to 12 September 2021, unless earlier lifted or extended as circumstances may warrant;

**WHEREAS,** on the 15<sup>th</sup> day of May 2020 the Government Procurement Policy Board (GPPB) published a Resolution No. 09-2020 entitled "Approving Measures for the Efficient Conduct of Procurement of Procurement Activities during a State of Calamity or Implementation of Community Quarantine or Similar Restrictions"; (refer to Annex "A" copy of the resolution);

#### **WHEREAS**, part of the said resolution states the following:

- (2) ENJOIN Pes to maximize the use of existing rules under R.A. No. 9184, its IRR and related issuances on the conduct of procurement activities, particularly those meant to streamline, simplify and expedite the conduct of procurement and address the challenges and disruptions brought by calamities and crisis such as the COVID-19 pandemic, such as use of videoconferencing, webcasting and similar technology in the conduct of any meetings and determination of quorum by the BAC and use of digital signatures in procurement related documents;
- (3) ALLOW the (i) submission of procurement related documents, except for the submission and receipt of bids, through electronic mail or facsimile subject to the submission of the printed copies as soon as practicable, as determined by the Bids and Awards Committee (BAC); and (ii) use of the other forms of digital or electronic signature in all procurement related documents. For this purpose, PEs shall establish their respective internal rules to ensure the security, integrity and authenticity of the documents electronically submitted and the use of digital or electronic signature.

**NOW THEREFORE, BE IT RESOLVED AS IT HEREBY RESOLVED,** that this Committee hereby recommends to the Head of the Procuring Entity (HOPE) the adoption of the guidelines for online or electronic submission and receipt of bids (refer to Annex "B");

**WHEREAS**, this Committee will still require the submission of the printed copies simultaneously received with the electronic copies of the Bid;

**RESOLVED, FINALLY** that on the basis of the foregoing, the BAC RECOMMENDS to the HOPE to adopt the foregoing guidelines on the electronic submission of bids in accordance with the GPPB Resolution 09-2020. These measures shall be allowed at any time, not just during the State of Calamity, or implementation of community quarantine or similar government restrictions.

Done this 23<sup>rd</sup> day of November, 2020 in Butuan City.

#### Sgd. ANNA MELISSA M. TALAVERA

BAC Chairperson

Sgd. LEONA VICTORIA G. NORTEGA
BAC Member

Sgd. OMNIA B. OLAMA

BAC Member

Sgd. ELMA S. DUPEÑO
BAC Member

Sgd. IAN D. BATITANG
BAC Member

Approved by:

Sgd. VISA TAN-DIMERIN, CESO V
Regional Director

# BIDDER'S KIT FOR BFAR PROCUREMENT GUIDELINES IN ADOPTING ELECTRONIC SUBMISSION OF BIDS

(GPPB Resolution No. 09-2020)

#### I. PRE-REGISTRATION& PRE-BID CONFERENCE

**Step 1:** Register by completing the information required in the **Google Form** which can be accessed here:

https://docs.google.com/forms/d/15jz6wkV9LFL6\_eHFltuhtTCrIjylJFJLl KO lvAPaMM4/edit.

Once completed, submit the form to the Secretariat and wait for an acknowledgment by e-mail.

- **Step 2:** Join the scheduled Pre-Bid Conference by clicking the link provided by the Secretariat through e-mail using **Google Meet**. Please make sure that you allow access to the microphone and the camera.
- **Step 3:** Kindly wait for the Secretariat to confirm your entry through Zoom to participate in the pre-bid conference.
- **Step 4:** See attached file as "Annex B" for the House Rules to be observed during the conduct of procurement activities.

#### II. PREPARATION OF BID (SOFT COPY)

- **Step 1:** Prepare a final scanned copy of your Bid which is divided into two different PDF files:
  - 1. Eligibility Documents & Technical Documents; and
  - 2. Financial Documents
- **Step 2:** Set a password for the scanned copy of the Eligibility Documents & Technical Documents and Financial Documents and save as a .PDF file.
- **Step 3:** Compress the file, save the password-protected .PDF file to a ZIP file. Set another password on the ZIP file.
- Important: Passwords must be 8-16 characters and contain both numbers and letters/special characters. The bidder is required setting a unique combination for each file and folder. Same passwords for all files are not allowed. For details on how to set passwords in .PDF file and ZIP file, please see file attached as "Annex C"

- **Step 4:** For effective documentation of the submitted files, you must comply with the label format below:
  - Both ZIP folder and .PDF file shall be assigned file name
     "BFAR Bid Reference No.\_\_\_\_\_ (Company Name); Legal & Technical Documents"
  - Both ZIP folder and .PDF file shall be assigned file name
     "BFAR Bid Reference No (Company Name); Financial Documents"

#### III. REGISTRATION FOR ONLINE SUBMISSION

- **Step 1:** Register through Google Form, a link will be provided upon request to the BAC Secretariat's e-mail address: <a href="mailto:bfarbac13@gmail.com">bfarbac13@gmail.com</a> at any time before the closing date and time specified in the Bidding Documents by disclosing the following information:
  - a) Email Address
  - b) Company Name
  - c) Company Address
  - d) Authorized Representative
  - e) Contact No.
  - f) Bid Reference
  - g) Bid Title
  - h) Official Receipt (OR) No.

Upon verification of the Official Receipt (OR), the BAC Secretariat will send the Public Bidding Documents through the given email or shall provide a hard copy upon request. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

**Step 2:** The BAC Secretariat will send another Google Form link to the bidder, who already purchased the bidding documents, through the given email directing to the "Online Submission of the Bid"

#### IV. ACCESSING THE GOOGLE FORMS

**Step 1:** Upon successful login to your email address account. You will now open the Google Form link sent through BAC Secretariat's e-mail address given above.

**Step 2:** Click the <u>FILL OUT FORM</u> button. (See attached "Annex D")

#### v. <u>SUBMISSION OF BID</u>

- **Step 1:** Submit your Bids through Google Form at any time before the closing date and time specified in the Bidding Documents.
- **Step 2:** Upon preparation and finalization of the compressed and password-protected files Eligibility & Technical and Financial Documents, a Google Form link will direct you to the page where they can now upload the said requirements. (See attached "Annex D, Figure 10.1")

**Step 3:** After submission, a copy of the response will be automatically emailed to the address provided by you which can be saved or printed, as proof of the official time of the submission and receipt of bids. (See attached "Annex D, Figure 11.2")

#### VI. <u>RECEIVING OF THE SUBMITTED BID</u>

The BAC Secretariat will receive the submitted information through Google Forms and will generate a Bid Receipt page for the official time of submission of all bidders, which can be saved or printed.

Bidders may modify their Bid at any time before the deadline for the submission and receipt of bids. Bidders shall send another Bid equally secured, properly identified, and labelled as a "<u>modification</u>" of the previously submitted. The time indicated in the latest Bid receipt page generated shall be the official time of submission. Bids submitted after the deadline shall not be accepted.

The BAC Secretariat will not be able to access the documents until the day of the Bid Opening.

#### VII. BID OPENING PROCESS

The BAC, with the assistance of the Secretariat and Technical Working Group (TWG), shall conduct bid opening via Google Meet. Bidders are encouraged to attend the bid opening online. The passwords for the folders (ZIP) and the files (.PDF) shall be disclosed by the bidders only during actual bid opening which may be done via Google Meet.

The Secretariat will ask the bidder, who choose to attend via Google Meet, the corresponding password of their Bid during the bid opening itself. The official representative of the bidder shall respond promptly in the same chat box with the passwords when prompted. Bidders are given within five (5) minutes to respond with the passwords. If the bidder does not provide or respond with the password within five (5) minutes, from prompting, it will result in disqualification and the BAC shall move on to the next bid, if any.

The bidder shall first disclose the password for the compressed folder (ZIP file) containing the Eligibility & Technical documents, second disclose the password for the Eligibility & Technical document (.PDF file). The Secretariat will share the screen via Google Meet during accessing the submitted Bid.

If the bidder **passed** the Eligibility & Technical requirements, the second password-protected compressed folder containing the Financial Documents and the files contained therein shall be opened in the same manner as the password of the eligibility documents as described above. In no case will a bidder disclose the passwords for the financial folder and the files prior to being declared eligible based on the evaluation of the eligibility documents.

The bidder is given only three (3) attempts to disclose the password per compressed folder (ZIP) and .PDF file to open the documents. If the bidder fails to provide the correct password after the third attempt, their Bid will no longer be considered. The Secretariat shall take and print a screenshot of such inquiries and responses to form part of the records and all incidents should be recorded in the minutes.

In the event that the BAC cannot access the submitted electronic copy of the Bid, the BAC will proceed with the opening of the ORIGINAL HARD COPY.

### Basic House Rules to be observed during BAC Meetings

1. Kindly place your microphone on mute when not speaking.



Please raise your hand, and wait to be recognized before you speak (remember to toggle off mute).




3. Turn on video for confirmation of your identity.


#### Adding a password to a .PDF file using Adobe Acrobat Reader DC.

One-click option to protect a PDF with a password

- 1. Open the PDF file
- 2. Choose **File > Protect Using Password**.




3. Select to set the password for Viewing the PDF.




- 4. Type and retype your password. The password strength is displayed next to your password to indicate whether the chosen password is weak, medium, strong, or best.
- 5. Click "Apply".

#### File Archiving and Compression using WinRaR application

- 1. Right Click the password protected .PDFfile
- 2. Select "Add to archive."



3. In the Archive name and parameters dialog box, select "Radio button ZIP" and click "Set password"




4. Type your password and Click "OK button."




# <u>Procedure of Accessing the BFAR XIII BAC Online Submission of Bidding</u> <u>Documents via Google Forms</u>

**Step 1**. BAC Secretariat will send the Invitation link of Registration Form.



- **Step 2.** Upon received, click the **FILL OUT FORM**.
- **Step 3**. Bidder must fill in the following required information



- **Step 4.** Click the **Add file** to upload Scanned Copy of Official Receipt (OR).
- **Step 5**. After uploading of the Scanned Copy of OR, the bidder shall click the **Submit** button to complete the process and BAC Secretariat shall verify the submitted Official Receipt (OR).






Figure 5.1

- **Step 6.** A copy of the response will be automatically emailed to the address provided by the bidders.
- **Step 7.** Upon verification of the Official Receipt (OR), the BAC Secretariat shall send the Public Bidding Documents through the given email or shall provide a hard copy upon request. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.
- **Step 8.** The BAC Secretariat will send another Google Form link to the bidder, who already purchased the bidding documents, through email directing to the "Online Submission of the Bid".



**Step 9.** Upon received, click the **FILL OUT FORM**.

**Step 10.** Click the <u>Add file</u> button to upload the compressed and password-protected files of Eligibility & Technical and Financial Documents



**Step 11.** Click the **Submit** button to complete the process. A copy of the response will be automatically emailed to the address provided by the bidder which can be saved or printed by the bidder, as proof of the official time of the submission and receipt of bids.






Figure 11.2

